

EAST Search History

S39	97183	((("711" or ("709" or ("707"))). CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:25
S40	882	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:09
S41	287	S40 and (non-volatile or nonvolatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:16
S42	18	((LRU or "least recently used") NEAR (data OR file OR content OR variable)) SAME (FLASH or non-volatile or nonvolatile or nvram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:26
S43	141	((LRU or "least recently used" or unused or infrequent\$2 or rarely) NEAR (data OR file OR content OR variable)) SAME (FLASH or non-volatile or nonvolatile or nvram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:30
S44	115	S43 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:30
S45	6764737	(access\$3 or read\$3 or writ\$3) near\$3 (status or pattern or count\$2 or state or record) WITH (file or variable or data or content or object or director\$2) and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:42
S46	7253901	(access\$3 or read\$3 or writ\$3) near\$3 (status or pattern or count\$2 or state or record) WITH (file or variable or data or content or object or director\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:43

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	flush near (data or file) near to near (non-volatile or nonvolatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:01
S2	6376741	flush near\$5 (data or file) near\$5 (non-volatile or nonvolatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:01
S3	6416435	flush near\$5 (data or file) near\$5 to near\$5 (non-volatile or nonvolatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:01
S4	6355134	flush near\$2 (data or file) near\$2 to near\$2 (non-volatile or nonvolatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:02
S5	6022197	flush near\$1 (data or file) near\$1 to near\$1 (non-volatile or nonvolatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:02
S6	0	flush near (data or file) near "to" near (non-volatile or nonvolatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:02
S7	662	flush adj (data or file or page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:03
S8	1	flush adj (data or file or page) near (flash or non-volatile or nonvolatile or nvram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:04

EAST Search History

S9	119	(flush\$3 or cop\$3) near data with cache with (non-volatile or nonvolatile of flash or nvram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:35
S10	90	S9 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:05
S11	1	"5949970".PN.	USPAT; USOCR	OR	OFF	2006/03/01 20:29
S12	766	(flush\$3 or cop\$3) near data with (non-volatile or nonvolatile of flash or nvram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:35
S13	204	(flush\$3 or cop\$3) near data near (non-volatile or nonvolatile of flash or nvram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 20:35
S14	166	S13 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 12:42
S15	2458773	wo 02/06127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 12:42
S21	2217	emc.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 16:49
S22	2	"6304948".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 17:50

EAST Search History

S23	2	09/975485	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 17:57
S24	13648109	flash near\$3 advanta\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 17:57
S25	13534341	flash adj (drive or device) near\$3 advanta\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 17:58
S26	13557061	flash adj (memory) near\$3 advanta\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 17:58
S27	481	flash adj (memory) near advanta\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 18:03
S28	387	S27 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 18:03
S29	0	flash adj (memory) near advanta\$4 with nvram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 18:03
S30	0	flash adj (memory) near advanta\$4 same nvram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 18:04

EAST Search History

S31	0	(flash adj (memory) near advanta\$4) same nvram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 18:04
S32	3	(flash adj (memory) near advanta\$4) and nvram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 18:04
S33	1032	flash with nvram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 18:04
S34	692	S33 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 19:11
S35	0	(flash) near (deplet\$3) with (space or storage or area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 19:12
S36	11	(flash) near (overflow) with (space or storage or area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 19:13
S37	29	(flash) near (full) with (space or storage or area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 19:15
S38	737	(memory) near (full) with (space or storage or area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 19:16

EAST Search History

S39	11	S38 and @ad<"20030801" and "711/103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 22:53
S40	0	10/812291	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 22:53

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	519	(711/159).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:18
S2	449	S1 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:18
S3	156	S2 and ((non-volatile) or flash or nvram or ("not volatile") or (nonvolatile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:55
S4	103	S3 and (purg\$3 or delet\$3 or offload\$3 or remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:47
S5	98	S4 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:30
S6	132	S3 and (purg\$3 or delet\$3 or offload\$3 or remov\$3 or replac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:55
S7	98	S6 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:42

EAST Search History

S8	91	("6125409" "6044443" "5812870" "5353256" "5369754" "5627838" "5678082" "5717887" "5818848" "5999476" "6012146" "6052806" "6775754" "6125392" "5247658" "5392427" "5446688" "5634050" RE35881 "5898868" "6122195" "6151247" "5720015" "5819015" "5838614" "5847373" "5930816" "5953737" "5995423" "6001689" "6027029" "6128695" "6134151" "6223308" "6223308" "6275436" "6400602" "6421279" "6763424" "6968421" "5914509" "5925904" "5949250" "6073207" "6087228" "6092160" "6377486" "6433775" "5256948" "4350420").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:43
S9	50	S8 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:45
S10	0	S9 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:45
S11	27	S9 and (purg\$3 or delet\$3 or offload\$3 or remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:46
S12	1506	(remove with unused)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:47
S13	186	S12 and ((non-volatile) or flash or nvram or ("not volatile") or (nonvolatile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:51

EAST Search History

S14	186	S13 and (purg\$3 or delet\$3 or offload\$3 or remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:51
S15	130	S14 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:50
S16	3301	(access\$3 adj ag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:50
S17	819	S16 and ((non-volatile) or flash or nvrnm or ("not volatile") or (nonvolatile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:51
S18	580	S17 and (purg\$3 or delet\$3 or offload\$3 or remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:51
S19	457	S18 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:55
S20	1999	(purg\$3 or delet\$3 or offload\$3 or remov\$3 or replac\$3) near algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:58
S21	511096	((non-volatile) or flash or nvrnm or ("not volatile") or (nonvolatile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:55

EAST Search History

S22	381	S20 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:55
S23	24379111	@ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:56
S24	292	S23 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:56
S25	0	S24 and stale near file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:57
S26	0	S24 and stale near (file or data or variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:57
S27	18	S24 and stale	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 18:57
S28	396582	(pre-determine\$2 or predetermin\$2) near (time or period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:39
S29	156513	(unused or un-used or "not using" or infrequent\$2 or in-frequent\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:21

EAST Search History

S30	15076	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:19
S31	511119	(non-volatile or no-volatile or not-volatile or "not volatile" or nonvolatile or FLASH or NVRAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:20
S32	4063	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:20
S33	402000	(unused or un-used or "not using" or infrequent\$2 or in-frequent\$2 or rare\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:21
S34	25173	S28 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:21
S36	19772	S34 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:22
S37	357455	(freeup or free-up or purg\$3 or remov\$3 or delet\$3 or replac\$3 or off-load\$3 or offload\$3) with (data or file or variable or content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:24
S38	4721	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:24